



Gear Oil SAE 85W-140; API GL-5

## **Product Description**

Ignix Axion Drive 85W-140 API GL-5 GEAR OIL formulated with high viscosity-index, paraffinic base oil and specialty performance additives. API Category GL-5 designates the type of service characteristic of gears, particularly hypoids in automotive axles under high-speed and/or low-speed, high-torque conditions. Specialty anti-scuffing additives and friction modifiers provide advanced protection and lubricity in extreme pressure conditions. Additionally, Ignix Axion Drive 85W-140 API GL-5 GEAR OIL is highly shear stable while also resisting rust, oxidation, foaming, and varnish.

## **Typical Properties**

SAE J300 Viscosity Grade	85W-140	
Appearance, Visual	Amber, Liquid	
Viscosity @ 40°C, cSt, ASTM D445	290.85	
Viscosity @ 100°C, cSt, ASTM D445	26.5	
Viscosity Index, ASTM D2270	120	
Flash Point, °C, ASTM D92	225	
Pour Point, °C, ASTM D97	-18	

<sup>\*</sup>The values shown are typical of current production. Some are contro led in the manufacturing process, while others are not. A l of them may vary within tolerable ranges.

## **Exceeds Performance Requirements:**

API GL-5

MT-1

**Product Code** 

**SAE 85W-140** 



